### A new type of motorhome from Chausson:

thinner, shorter and cheaper than the classic low profile.




# **O** LOW PROFILES

Compact size with a price to match!








\*see the technical specifications brochure

_	COMPACT	MEDIUM
TRANSVERSE BEDS	\$514	-
TWIN BEDS	-	\$697GA

# FIRST LINE

# THE ESSENTIAL COMES AS STANDARD

Visit our new site www.chausson-motorhomes.com





Twin beds which can be folded to access the storage units

XL garage













New "butterfly" bed to access storage units or increase the size of the garage








Bathroom with swivel partition



# **AS STANDARD**



### Reduced 2.10 m width

vehicle offers + handling and is + lightweigh

- Manual cab air conditioninge
- Driver and passenger airbag
- IRP design: see page 14

### CHAUSSON / S LOW PROFILES





Brand   Company   Compa			S514
Engine HP-kW  Overall length (m)  Overall length (m)  Overall width (m)  Overall height (m)  Interior height (m)  Wheelbase (m)  Right garage door (cm)  Est garage door (cm)  Wheels size  Interior height (m)  Interior he			FIRST LINE
Overall length (m) Overall width (m) Overall height (m) Overall height (m)  Interior height (m)  Wheelbase (m)  Right garage door (cm)  Left garage door (cm)  Wheels size  Ineff core and use **  Seats authorised for road use **  Sleeping berths  Diring seats  Max technically permissible laden mass Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  O 90 x 185		Brand	Fire
Overall width (m) Overall height (m) Overall height (m)  Interior height (m)  Interior height (m)  Wheelbase (m)  Right garage door (cm)  Left garage door (cm)  Wheels size  Inerior satuthorised for road use   Seats authorised for road use   Sleeping berths  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Wester and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  0 90 x 185		Engine HP-kW	130-92
Overall height (m)  Interior height (m)  Wheelbase (m)  Right garage door (cm)  Elft garage door (cm)  Seats authorised for road use  A  Max technically permissible laden mass  Soo  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  O 90 x 185	<b>A</b>	Overall length (m)	5,99
Interior height (m)  Wheelbase (m)  Right garage door (cm)  Left garage door (cm)  Seats authorised for road use "  Seats authorised for road use "  Sleeping berths  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Twin bed  Dining area convertible in extra spare bed*  1,96  3,30  3,30  89,5 x 59  16"  79,5 x 40,5  44  44  44  44  45  45  44  45  45		Overall width (m)	2,10
Wheelbase (m)  Right garage door (cm)  Eft garage door (cm)  Wheels size  Seats authorised for road use (m)  Seats authorised for road use (m)  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  3 300  3 30  889,5 x 59  79,5 x 40,5  4  4  4  4  4  4  4  4  4  4  4  4  4		Overall height (m)	2,75
Right garage door (cm)  Left garage door (cm)  Wheels size  Seats authorised for road use **  Seats authorised for road use **  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  189,5 x 59  16"  79,5 x 40,5  4  4  4  4  4  4  4  4  4  4  4  4  4		Interior height (m)	1,96
Left garage door (cm)  Wheels size  16°  Seats authorised for road use ®  Seeping berths  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Rear bed  Rear bed  132 x 189  Twin bed  Dining area convertible in extra spare bed*  16°  4  A  4  A  A  A  A  A  A  A  A  A  A		Wheelbase (m)	3,30
Wheels size  Seats authorised for road use ™  Sleeping berths  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  16"  4   4   4   4   4   4   4   4   4   4		Right garage door (cm)	89,5 x 59
Seats authorised for road use   Sleeping berths  Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Fresh water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  4  4  4  4  4  4  4  4  4  4  4  4  4		Left garage door (cm)	79,5 x 40,5
Sleeping berths Dining seats  Max technically permissible laden mass 3500  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity 105 L  Waste water tank capacity 100 L  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit 4000 W (0 5500 W)  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed 132 x 189  Twin bed Dining area convertible in extra spare bed*  0 90 x 185		Wheels size	16"
Dining seats  Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  4  4  4  4  4  4  4  4  4  4  4  4  4		Seats authorised for road use (1)	4
Max technically permissible laden mass  Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  3500  2570  105 L  4000 L  4000 W		Sleeping berths	2/3*
Vehicle bodycoach weight in running order (+/- 5%)  Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  2570  2570  105 L  4000 W  60 5500 W)  110 L  110 L  111 August 1		Dining seats	4
Fresh water tank capacity  Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  105 L  100 L  4000 W (0 5500 W)  4000 W (0 5500 W)  700  4000 W (0 5500 W)  700  700  700  700  700  700  700  7		Max technically permissible laden mass	3500
Waste water tank capacity  Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  100 L  4000 W (0 5500 W)  ✓  132 x 189  -  0 90 x 185		Vehicle bodycoach weight in running order (+/- 5%)	2570
Pre equipment for leisure battery (battery supplied by the dealer)  Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  Pre equipment air-conditioner (cell)  0 90 x 185		Fresh water tank capacity	105 L
Diesel heater and blow air circuit  Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  4000 W (0 5500 W)   132 x 189  - 0 90 x 185		Waste water tank capacity	100 L
Boiler 10 L (gas) heater with electronic ignition  Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  Dining area convertible in extra spare bed*		Pre equipment for leisure battery (battery supplied by the dealer)	V
Pre equipment air-conditioner (cell)  Rear bed  Twin bed  Dining area convertible in extra spare bed*  132 x 189  -  0 90 x 185	<b>W</b>	Diesel heater and blow air circuit	4000 W ( <b>0</b> 5500 W)
Rear bed  Twin bed  Dining area convertible in extra spare bed*  132 x 189  -  0 90 x 185		Boiler 10 L (gas) heater with electronic ignition	V
Twin bed  Dining area convertible in extra spare bed*  0 90 x 185		Pre equipment air-conditioner (cell)	V
Dining area convertible in extra spare bed*  0 90 x 185		Rear bed	132 x 189
		Twin bed	-
Gas refrigerator 12V/230V 87 L		Dining area convertible in extra spare bed*	<b>0</b> 90 x 185
	*	Gas refrigerator 12V/230V	87 L

− : Can't be fitted on

✓: Standard equipment / 0: option
(1) According homologation

\*Additional beds are available by converting the dining area using the Trigano Service option

## **S** Low profile **DESIGNATION**


3<sup>rd</sup> FIGURE Rear bed type S: SLIM 1st FIGURE Length of the vehicle 4 = transverse bed7 = twin beds **5** = 5,... m **6** = 6,... m 2<sup>nd</sup> FIGURE Version 1 to 9



0/0704		
S697GA		
FIRST LINE		
Tord		
130-92		
6,59		
2,10		
2,75		
1,96		
3,75		
93 x 76,5		
79,5 x 40,5		
16"		
4		
2/3*		
4		
3500		
2642		
105 L		
100 L		
V		
4000 W ( <b>0</b> 5500 W)		
V		
<b>✓</b>		
-		
82 x 198 et 82 x 193		
<b>0</b> 90 x 185		
87 L		









# THE ESSENTIAL COMES AS STANDARD

- Manual cab air conditioning
- Driver and passenger airbag
- Cruise control and speed limiter
- Radio DAB/MP3/Bluetooth
- Integrated DAB antenna
   Swivel seats in the cab, with double armrests and adjustable height

- Swivel seats in the cab, with double armrests and adjust
   Heating using vehicle fuel used while on the road
   Flyscreen door
   Panoramic skylight
   Double-locking windows with combined blinds/screens
   Separation curtain cab/cell
   100% LED cell lighting inside and outside

- USB ports
   IRP structure: GRP on roof/floor/sides, floor 64 mm thick
- Technibox: all-in-one technical area



Furniture Bosco

