PRICES TECHNICAL DATA EQUIPMENT RV . CA 150

carado

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage - space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. THE TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS...

... is a value set by the manufacturer which the vehicle may not exceed. Carado specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

TYPE / MODEL	CV540 PRO	CV600 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000
BERTHS	Ů Ů / + Ů орт	Ů Ů / + Ů орт
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
Headroom in living area (cm)	190	190
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)
 Mass in running order (kg)*	2760 (2622 to 2898)*	2866 (2723 to 3009)*
Manufacturer-specified mass for optional equipment (kg)*	411	305
 Technically permissible maximum laden mass (kg) *	3500	3500

..... 2. THE MASS IN RUNNING ORDER...

... consists - to put it simply - of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Carado weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

... 3. THE PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section.

	TYPE / MODEL	CV540 PRO	CV600 PRO
	PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	6666	000
	BERTHS	^Ω Ω / + Ω OPT	Ů Ů / + Ů ^{орт}
	Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
	Headroom in living area (cm)	190	190
	Standard chassis	Fiat Ducato	Fiat Ducato
	Standard engine	2.2 Multijet	2.2 Multijet
	kW (BHP)	103 (140)	103 (140)
PERMI (INCLI BERTH Length Headr Standa Standa KW (B Mass i Manuf equipr Techn	Mass in running order (kg)*	2760 (2622 to 2898)*	2866 (2723 to 3009)*
	Manufacturer-specified mass for optional equipment (kg)*	411	305
	Technically permissible maximum laden mass (kg) *	3500	3500

4. THE MANUFACTURER-SPECIFIED MASS FOR OPTIONAL EQUIPMENT...

... is a value set by Carado per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

OPTIONAL EXTRAS	ADDITIONA
භා	
CONVERSION	
Insulated waste water tank	

5. THE ADDITIONAL WEIGHT OF OPTIONAL EQUIPMENT AND PACKAGES...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.



CAMPER VAN MODEL OVERVIEW

4

(0	1	2	3	4	5	6	7 m

TYPE / MODEL	CV540	CV600	CV640
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	0000
BERTHS	() () / + () OPT	⁰ ⁰ / + ⁰ орт	⁰ ⁰ / + ⁰ орт
Length Width Height (cm)	541 / 205 / 258	599 / 205 / 258	636 / 205 / 258
Headroom in living area (cm)	190	190	190
Chassis	Peugeot Boxer	Peugeot Boxer	Peugeot Boxer
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2651 (2518 to 2784)*	2751 (2613 to 2889)*	2836 (2694 to 2978)*
Manufacturer-specified mass for optional equipment (kg)*	504	402	310
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	404	404
Bed dimension middle L x B (cm)	185 x 87 - 63 ^{opt}	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{орт}
Bed dimension rear L x B (cm)	195 x 133 - 130	197 x 157 - 150	192 x 108 - 55 184 x 86
Refrigerator volume incl. freezer (I)	84	84	84
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	100 / 20 ¹⁾	100 / 20 ¹⁾	100 / 20 ¹⁾
Waste water tank (I)	90	90	90
Sockets 230 V	3	3	3
Sockets: USB	2	2	2
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

OPT Optional

* INFO

The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the



Configure your dream vehicle

Standard equipment

Not possible

▲ Not known at the time of publication

CAMPER VAN STANDARD EQUIPMENT

ЮП

SETUP

EXTERIOR

area, kitchen)

blind and flyscreen)

(incl. roller blind)

lashing rings

• Flyscreen door

• 7-year water ingress warranty ²⁾

• Double glazed hinged windows with

• Rear hinged window (incl. blackout

Both rear doors with hinged window

• Roof light 40 x 40 cm over lounging

• Roof light 40 x 40 cm over bedroom

• Rear storage space with 4 integrated

area with fly screen and blinds

with fly screen and blinds

cassette blinds and fly screens (siting

._____ CHASSIS / **BASE VEHICLE**

- Peugeot Boxer 3.500 kg | 2.2 BlueHDi | 103 kW | 140 BHP | Euro 6 | 6-speed manual gearbox
- Citroen white
- Front wheel drive
- Electric and heated mirrors
- Radio aerial integrated in mirror
- ABS | EBD | ESP incl. ABS and Hillholder
- Driver and Passanger airbag
- Cruise control
- Manual cab air conditioning
- Electric operated cab windows and central locking
- On-board computer incl. exterior temperature display
- Start & stop function incl. charge booster
- Disc brakes | rear and front wheel stabilisers | heat convection | tachometer | power steering | heightadjustable headlights | immobiliser | lap and diagonal seat belts
- 60 I fuel tank
- ESC Setup incl. Traction+
- 15" steel rims
- Tyres M+S Camping (snowflake)
- Fix & Go breakdown kit
- · Headlights with black frame
- Multifunction steering wheel
- Radio pre-wiring including speakers
- Central cup holder
- USB charger (A+C)
- · Driver and passenger seat with lumbar support
- Driver and passenger seats with
- armrests & upholstered covers
- Height and tilt adjustable driver and
- front passenger seats
- Driver and passenger seats swivel

COMFORT

- Isofix for 2 seats
- Bulkhead incl. step for rear double bed
- Pedestal in lounging area with integrated storage compartment
- · Half dinette with integrated storage compartment
- Rear bed with partly slatted frame • High quality mattresses with integrated GOODSITE for better
- sleeping comfort • Ergonomically shaped upholstery for
- improved seating comfort
- Textile cab blinds
- Easy to position spotlight in light rail
- doors
- Spacious wardrobe (except CV540)
- grey'

- Spacious storage compartments and storage options
- Storage space in rear and sliding
- Furniture in 'Visby Oak' and 'Sand
- Floor in 'Calais'

• Flexible light strip

INSTALLATIONS

-Ò

- · Illuminated pedestal in lounging area
- Individually adjustable LED spotlights Gas heating Combi 4 Gas control valves easily accessible
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Sockets 3 x 230V | 1 x USB (double)
- Fresh water tank capacity total 100 | waste water tank 90 l

BATHROOM EQUIPMENT

SOFT **FURNISHING**

Q

bottles

HEATING /

GAS SUPPLY

and centrally arranged

- Soft furnishing in black
- Spacious storage area
- Cassette toilet C 223

• Fixed washbasin

- Flush fitting LED spotlights
- Roof light with fly screen

6



- Gas bottle locker for 2 x 11 kg gas
- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner gas cooker with electric ignition and glass cover
- Worktop behind cooker (except CV540)
- Compressor fridge 84 |
- LED light tube
- Suspension bar (except CV540)



· Citroen white

CAMPER VAN PACKS

BASIC PACK + 31.4 kg*

Roof light over lounge area 70 x 50 cm

Shower equipment

Window in bathroom

Clothes rail in bathroom

Wide entrance step

Rotating plate for table extension in seating area

PACKAGE PRICE (€)

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

PACKAGE PRICE (€)

OPTIC PACK 2 ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

PACKAGE PRICE (€)

CARADO ORIGINAL ACCESSORIES* **BACKRACK+ MORE SPACE AND ORDER!**

Innovative. Individual. Modular. The Carado Backrack+ with its different components opens up a new world of transportation and makes your Campervan something special. Whether you have bicycles, e-bikes, a spare wheel or transport a practical aluminum box, the right component can be mounted on the Backrack+ quickly and easily. Other components are already being developed and the versatility of the system continuously expanded. The Carado Backrack+ sets new standards in design and function.

BACKRACK+



SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502073	8,6 kg	80 kg
Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502074	8,6 kg	80 kg

BIKE CARRIER SHUTTLE

ARTICLE

Backrack+ left

Backrack+ right





MINI RACK



ARTICLE Backrack+ Mini Rack

SUITABLE F Camper Vans o and Citroe


WHEEL HOLDER



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Backrack+ Wheel Holder (Light-Chassis)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502214	2,5 kg	35 kg
Backrack+ Wheel Holder (Maxi-Chassis)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502215	2,5 kg	35 kg

NUMBER AND LIGHT BAR

and the second



Number and Light Bar (implementation > 6 m)

Camper Vans and Citroen

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

▲ Not known at the time of publication

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.





OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato	8502212	5,4 kg pro	28 kg pro
Jumper-Basis		bike carrier shuttle	holding arm

OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato Jumper-Basis	8502213	4,5 kg	20 kg

OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato Jumper-Basis	8502231	15,8 kg	100 kg
n Fiat Ducato Jumper-Basis	8502232	15,8 kg	100 kg



CAMPER VAN OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540	CV600	CV640
PACKS				
PACKS				
Basic Pack 3)	31.4 kg	0	0	0
Optic Pack 1 Painted bumpers	3 kg	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0
CHASSIS / BASE VEHICLE				
90 l fuel tank	23 kg	0	0	0
EXTERIOR SETUP				
Insulated and heated waste water tank	10.5 kg	0	0	0
Bike rack for 2 bikes (black)	10 kg	0	0	0
COMFORT				
Bed conversion for lounging area (transversal guest bed)	5 kg	0	0	0
Wooden duckboard for the shower tray	2 kg	0	0	0
Folding cab blinds	8 kg	0	0	0
- Notallations				
Second AGM leisure battery 95 Ah	27 kg	0	0	0
Heating Combi 6 E (with el. heating element) digital control panel	2 kg	0	0	0
Pre-cabling for reversing camera	1 kg	0	0	0
Pre-cabling for solar panel	2 kg	0	0	0
TV pre-cabling TV holder	3 kg	0	0	0
USB-port in the light rail	0 kg	0	0	0
SOFT FURNISHING				
Soft furnishing in white	0 kg	0	0	0
OTHERS				
Registration documents	0 kg	•	A	•
		□ Available in package ● Standard equipme	nt ○Optional equipment ▲Mandatory —Not possible	▲ Not known at the time of publication Notes from page 92



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

10

CAMPER VAN MODEL OVERVIEW



7 m

TYPE / MODEL	CV540 PRO	CV600 PRO	CV601 PRO	CV602 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	000	0000	0000
BERTHS		Ů Ů / + Ů Ů Ů ОРТ	⁰ ⁰ ⁰ ⁰ ⁰ ¹ ⁺ ⁰ ⁰ ⁰ ⁰ ⁰ ⁰	ŮÛ / + Ů Ů Ů OPT
Length Width Height (cm)	541 / 205 / 261	599 / 205 / 261	599 / 205 / 261	599 / 205 / 261
Headroom in living area (cm)	190	190	190	190
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2748 (2611 to 2885)*	2851 (2708 to 2994)*	2891 (2746 to 3036)*	2829 (2688 to 2970)*
Manufacturer-specified mass for optional equipment (kg)*	407	302	264	324
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Tire size	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C
Wheelbase (cm)	345	404	404	404
Bed dimension: pop-top roof (cm)	206 x 143 ^{орт}	206 x 143 ^{орт}	206 x 143 ^{орт}	206 x 143 ^{орт}
Bed dimension middle L x B (cm)	185 x 87 - 63 ^{орт}	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{орт}
Bed dimension rear L x B (cm)	195 x 133 - 130	197 x 157 - 150	185 x 157 - 150 187 x 130	190 x 108 - 56 187 x 86
Refrigerator volume incl. freezer (I)	84	84	84	84
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 D Diesel	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	100 / 20 1)	100 / 20 1)	100 / 20 1)	100 / 20 1)
Waste water tank (I)	90	90	90	90
Sockets 230 V	3	3	3	3
Sockets: USB	2	2	2	2
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 5	2 x 11

* INFO The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

12



Configure your dream vehicle

Not possible

OPT Optional Standard equipment ▲ Not known at the time of publication

CAMPER VAN MODEL OVERVIEW



CV640 PR TYPE / MODEL តុត្ PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)* 00/+000 BERTHS 636 / 205 / Length | Width | Height (cm) Headroom in living area (cm) Chassis Fiat Duca Standard engine 2.2 Multi kW (BHP) 103 (14 Mass in running order (kg)* 2939 (2792 to 308

Bed dimension middle L x B (cm)185 x 105 - 88Bed dimension rear L x B (cm)192 x 108 - 184 xRefrigerator volume incl. freezer (l)192 x 108 - 184 xHeating typeCombi 4 GFresh water tank capacity total / at driving filling (l)100 / 2Waste water tank (l)Sockets 230 VSockets: USBGas bottle storage (filling weight in kg)2 x

Manufacturer-specified mass for optional

Technically permissible maximum laden

Trailer load braked (unbraked) (kg)

Bed dimension: pop-top roof (cm)

equipment (kg)*

Wheelbase (cm)

mass (kg) *

Tire size

OPT Optional



The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment manufacturer-specified mass for optional equipment is a calculated before delivering the vehicle. The technically permissible maximum value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

640 PRO CV600 PRO+ CV640 PRO+ 0000 0000 0000 001+000 0010 0000 001+000 001/+000 0000 001+000 001/+000 0000 001+000 001/+000 0000 636 / 205 / 261 599 / 205 / 261 636 / 205 / 261 190 190 190 Fiat Ducato Fiat Ducato Fiat Ducato 2.2 Multijet 2.2 Multijet 2.2 Multijet 103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 207 202 202 3500 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 404 404 206 x 143 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150			
ØØ/+ ØØØ orr ØØ/+ ØØØ orr ØØ/+ ØØØ orr 636 / 205 / 261 599 / 205 / 261 636 / 205 / 261 190 190 190 Fiat Ducato Fiat Ducato Fiat Ducato 2.2 Multijet 2.2 Multijet 2.2 Multijet 103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 207 202 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 2500 (750) 206 x 143 orr 206 x 143 orr 35 x 105 - 88 orr 185 x 105 - 88 orr 185 x 105 - 88 orr 192 x 108 - 55 197 x 157 - 1	CV640 PRO+	CV600 PRO+	640 PRO
Gas / 205 / 261 599 / 205 / 261 Gas / 205 / 261 190 190 190 Fiat Ducato Fiat Ducato Fiat Ducato 2.2 Multijet 2.2 Multijet 2.2 Multijet 103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 207 297 202 3500 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 404 206 x 143 ^{OPT} 206 x 143 ^{OPT} 206 x 143 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 197 x 157 - 150 192 x 108 - 55 184 x 86 Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁰ 100 / 20 ¹⁰ 100 / 20 ¹⁰	\$ \$ \$ \$	0000	0000
190 190 190 Fiat Ducato Fiat Ducato Fiat Ducato 2.2 Multijet 2.2 Multijet 2.2 Multijet 103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 297 202 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁾ 100 / 20 ¹⁾ 100 / 20 ¹⁾	⁰ ⁰ ¹ ⁺ ¹ ⁰ ⁰ ⁰ ⁰ ⁰	ပ္ပိ ပို / + ပို ပို ပို орт	Ů Ů / + Ů Ů Ů OPT
Fiat Ducato Fiat Ducato Fiat Ducato 2.2 Multijet 2.2 Multijet 2.2 Multijet 103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 297 202 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 ^{OPT} 206 x 143 ^{OPT} 206 x 143 ^{OPT} 35 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁾ 100 / 20 ¹⁾ 100 / 20 ¹⁾	636 / 205 / 261	599 / 205 / 261	636 / 205 / 261
2.2 Multijet 2.2 Multijet 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 207 297 207 297 3500 3500 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 206 x 143 ^{OPT} 206 x 143 ^{OPT} 3500 185 x 105 - 88 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 197 x 157 - 150 100 / 20 ¹⁰ 100 / 20 ¹⁰	190	190	190
103 (140) 103 (140) 103 (140) (2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 297 202 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 ^{OPT} 206 x 143 ^{OPT} 206 x 143 ^{OPT} 35 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁾ 100 / 20 ¹⁾ 100 / 20 ¹⁾	Fiat Ducato	Fiat Ducato	Fiat Ducato
(2792 to 3086)* 2856 (2713 to 2999)* 2944 (2797 to 3091)* 207 297 202 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 35 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁾ 100 / 20 ¹⁾ 100 / 20 ¹⁾	2.2 Multijet	2.2 Multijet	2.2 Multijet
207 297 202 3500 3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 404 206 x 143 ^{OPT} 206 x 143 ^{OPT} 206 x 143 ^{OPT} 35 x 105 - 88 ^{OPT} 1185 x 105 - 88 ^{OPT} 1185 x 105 - 88 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 184 x 86 184 x 86 84 Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁾ 100 / 20 ¹⁾ 100 / 20 ¹⁾	103 (140)	103 (140)	103 (140)
3500 3500 3500 2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 ^{OPT} 206 x 143 ^{OPT} 206 x 143 ^{OPT} 35 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 185 x 105 - 88 ^{OPT} 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 197 x 157 - 150 192 x 108 - 55 184 x 86 Combi 4 Gas Combi 4 Gas 100 / 20 ¹⁰ 100 / 20 ¹⁰ 100 / 20 ¹⁰	2944 (2797 to 3091)*	2856 (2713 to 2999)*	(2792 to 3086)*
2500 (750) 2500 (750) 2500 (750) 225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 35 x 105 - 88 °PT 1185 x 105 - 88 °PT 1185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹) 100 / 20 ¹) 100 / 20 ¹)	202	297	207
225/75 R 16 C 225/75 R 16 C 225/75 R 16 C 404 404 404 206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 35 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 °I 100 / 20 °I 100 / 20 °I	3500	3500	3500
404 404 404 206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 35 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹ 100 / 20 ¹ 100 / 20 ¹	2500 (750)	2500 (750)	2500 (750)
206 x 143 °PT 206 x 143 °PT 206 x 143 °PT 35 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 184 x 86 184 x 86 84 84 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹¹ 100 / 20 ¹¹ 100 / 20 ¹¹	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C
35 x 105 - 88 °PT 185 x 105 - 88 °PT 185 x 105 - 88 °PT 192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 184 x 86 184 x 86 84 Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 °I 100 / 20 °I 100 / 20 °I 100 / 20 °I	404	404	404
192 x 108 - 55 197 x 157 - 150 192 x 108 - 55 184 x 86 184 x 86 184 184 184 184 184 184 184 184 184 184 184 184 184 184 184 100	206 x 143 ^{орт}	206 x 143 ^{OPT}	206 x 143 ^{орт}
184 x 86 184 x 86 84 84 Combi 4 Gas Combi 4 Gas 100 / 20 ¹) 100 / 20 ¹)	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{opt}	85 x 105 - 88 ^{орт}
Combi 4 Gas Combi 4 Gas Combi 4 Gas 100 / 20 ¹) 100 / 20 ¹) 100 / 20 ¹)		197 x 157 - 150	
100 / 20 ¹) 100 / 20 ¹) 100 / 20 ¹)	84	84	84
	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
90 90 90	100 / 20 1)	100 / 20 ¹⁾	100 / 20 1)
	90	90	90
3 3 3	3	3	3
2 2 2	2	2	2
2 x 11 2 x 11 2 x 11	2 x 11	2 x 11	2 x 11



Standard equipment

ment -Not possible

 Δ Not known at the time of publication

CAMPER VAN STANDARD EQUIPMENT



- Basic Pack ³⁾
- Optic Pack 1 | Painted bumpers
- Optic Pack 2 | Alloy wheels
- pro Pack CV540
- pro Pack CV600 & CV601 & CV602
- pro Pack CV640
- pro+ Pack CV600 pro+
- pro+ Pack CV640 pro+

- رابط CHASSIS / BASE VEHICLE
- Fiat Ducato 3.500 kg | 2.2 Multijet | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- manual gearbox • Cruise control
- ABS | EBD | ESP incl. ABS and
 Hillholder
- ESC Setup
- Traction+
- Start & Stop function incl. charge booster
- Driver airbag
- Passenger airbag
- Manual cab air conditioning
- Electric operated cab windows and central locking
- Radio pre-wiring including speakers
- On-board computer incl. exterior
- temperature display
- USB charger (A+C)
- Multifunction steering wheel
- Central cup holder
- Radio aerial integrated in mirror
- Fix & Go breakdown kit
- Front wheel drive
- Disc brakes | rear and front wheel stabilisers| heat convection | tachometer | power steering, heightadjustable headlights | immobiliser | lap and diagonal seat belts
- Tyres M+S Camping (snowflake)
- Headlights with black frame
- Daytime running lights integrated in headlights
- Driver and passenger seats in matching colours
- Captain chairs with covers
- Height and tilt adjustable driver and front passenger seats
- Swiveling driver and passenger seats
- Driver and passenger seat with lumbar support

EXTERIOR SETUP

- 7-year water ingress warranty ²⁾
- Double glazed hinged windows with cassette blinds and fly screens (siting area, kitchen)
- Rear hinged window (incl. blackout blind and flyscreen)
- Both rear doors with hinged window (incl. roller blind)
- Roof light 40 x 40 cm over lounging area with fly screen and blinds
- Roof light 40 x 40 cm over bedroom with fly screen and blinds
- Rear storage space with 4 integrated lashing rings
- Flyscreen door

- Isofix for 2 seatsBulkhead incl. step for rear double
- Buiknead Incl. step for rear double bed
- Pedestal in lounging area with integrated storage compartment
- Half dinette with integrated storage compartment
- Rear bed with partly slatted frame
- High quality mattresses with integrated GOODSITE for better sleeping comfort
- Ergonomically shaped upholstery for improved seating comfort
- Easy to position spotlight in light bar (except CV601)
- Spacious storage compartments and storage options
- Storage space in rear and sliding doors
- Spacious wardrobe (except CV540 and CV602)
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'
- Folding cab blinds

- Ergonomically arranged kitchen with
- spacious work top • Large soft-close drawers in kitchen
- 2 burner gas cooker with electric ignition and glass cover
- Worktop behind cooker (except CV540 and CV602)
- Compressor fridge 84 I
- LED light tube

Á.

Suspension bar (except CV540 and CV602)

BATHROOM EQUIPMENT

-Ò́

INSTALLATIONS

leisure battery (95 Ah AGM)

• Electric charger for leisure and

CEE 230 V external socket with

vehicle battery 12 V / 18 A

waste water tank 90 l

• On-board control panel supplies

information about filling levels and

Flexible light strip

battery capacity

safety device

- Swivelling bath (CV600 pro+ and CV640 pro+)
- Fixed washbasin
- Spacious storage area
- Cassette toilet C 223
- Flush fitting LED spotlightsRoof light with fly screen



EXTERIOR



- Illuminated pedestal in lounging area
 Individually adjustable LED spotlights
 High-performance, maintenance-free
- Gas bottle locker for 2 x 11 kg gas bottles (except CV601 with 2 x 5 kg bottles)
- Gas heating Combi 4
- Diesel heating Combi 4
- Gas control valves easily accessible
- and centrally arranged

Sockets 3 x 230V | 1 x USB (double)
Fresh water tank capacity total 100 | |



Soft furnishing in black

CAMPER VAN PACKS

BASIC PACK + 31.4 kg*

Roof light over lounge area 70 x 50 cm

Shower equipment

Window in bathroom

Clothes rail in bathroom

Wide entrance step

Rotating plate for table extension in seating area

INCLUDED AS STANDARD

CHASSIS PACK -8.3 kg*

Electrically folding door mirrors

Parking sensors

Blind spot assistant

Electric parking brake

PACKAGE PRICE (€)

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter	
Wireless smartphone charging	
10" radio and navigation system (DAB+)	
7" digital TFT color display	
Rear view camera with dynamic grid lines	

PACKAGE PRICE (€)

SAFETY PACK INCL. ACC + 0 kg*

Automatic braking system with pedestrian detection

Rain and light sensor

Lane assist

Traffic sign recognition

Fatigue detection

Intelligent speed detection

Adaptive cruise control >30 km/h

PACKAGE PRICE (€)

CO-DRIVER PACK + 0.3 kg*

ACC with stop & go

Lane centering

Traffic jam assist

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper Black glossy skid plate Fog lights

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour


* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment



▲ Not known at the time of publication

PRO PACK CV540 + 97 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
90 l fuel tank	
Folding cab blinds	
Awning 3.25 m (black)	
pro decals	

INCLUDED AS STANDARD

PRO PACK CV600 & CV601 & CV602 + 100 kg*

Optic Pack 1 Painted bumpers		
Optic Pack 2 Alloy wheels		
Basic Pack		
90 l fuel tank		
Folding cab blinds		
Awning 3.75 m (black)		
pro decals		
	IN	CLUDED AS STANDARD

PRO PACK CV640 + 103 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
90 I fuel tank	
Folding cab blinds	
Awning 4 m (black)	
pro decals	

PRO+ PACK CV600 PRO+ + 105 kg*

Optic Pack 1 Painted bumpers
Optic Pack 2 Alloy wheels
Basic Pack
90 l fuel tank
Folding cab blinds
ramed windows
Awning 3.75 m (black)
pro+ decals
ED lighting integrated above the roof cabinets
Panoramic window above driver's and passenger seat
Wraparound overhead cabinet in rear

PRO+ PACK CV640 PRO+ + 108 kg*

Optic Pack 1 Painted bumpers
Optic Pack 2 Alloy wheels
Basic Pack
90 I fuel tank
Folding cab blinds
Framed windows
Awning 4 m (black)
pro+ decals
LED lighting integrated above the roof cabinets
Panoramic window above driver's and passenger seat
Wraparound overhead cabinet in rear

INCLUDED AS STANDARD



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment INCLUDED AS STANDARD

INCLUDED AS STANDARD

 $\pmb{\Delta}$ Not known at the time of publication

CAMPER VAN OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540 PRO	CV600 PRO	CV601 PRO	CV602 PRO	CV640 PRO	CV600 PRO+	CV640 PRO+
PACKS								
Chassis Pack	-8.3 kg	0	0	0	0	0	0	0
Digital Pack	4 kg	0	0	0	0	0	0	0
Safety Pack incl. ACC	0 kg	0	0	0	0	0	0	0
Co-Driver Pack ⁴⁾	0.3 kg	0	0	0	0	0	0	0
CHASSIS / BASE VEHICLE								
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox	60 kg	0	0	0	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox	60 kg	0	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 6-speed manual gearbox $^{\rm 5)}$	40 kg	-	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 5)}$	60 kg	-	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{\rm 5)}$	60 kg	-	0	0	0	0	0	0
Tyre pressure indicator	0 kg	0	0	0	0	0	0	0
Fully LED headlights including indicators and LED daytime running lights	0 kg	0	0	0	0	0	0	0
Electrical preparation for trailer coupling	0 kg	0	0	0	0	0	0	0
Spare wheel incl. holder and car jack instead of Fix & Go kit	30 kg	0	0	0	0	0	0	0
INCREASE OF LOAD CAPACITY								
Fiat Ducato Maxi Chassis 4.250 kg 2.2 Multijet 132 kW 180 BHP Euro VI (HD) 8-speed automatic gearbox* $^{\rm 5)}$	60 kg	-	-	-	-	0	-	0
EXTERIOR SETUP								
Black pop-top roof ⁶⁾	152 kg	0	0	0	0	0	0	0
Insulated and heated waste water tank	10.5 kg	0	0	0	0	0	0	0
Bike rack for 2 bikes (black)	10 kg	0	0	0	0	0	0	0
Framed windows	5 kg	0	0	0	0	0	•	•
		□ Available in pack	age • Standard equipme	nt ○Optional equipme	nt ▲ Mandatory	-Not possible ▲ N	lot known at the time of publication	Notes from page 92
			5					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment information section.

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

[[COMFORT

Bed conversion for lounging area (transversal guest bed)	5 kg
Wooden duckboard for the shower tray	2 kg



Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Diesel heating Combi 4 incl. integrated altitude pressure sensor and digital control panel $^{7)}$	4.6 kg
Pre-cabling for reversing camera	1 kg
Pre-cabling for solar panel ⁸⁾	2 kg
TV pre-cabling TV holder	3 kg
USB-port in the light rail	0 kg
Mobile internet (WiFi / LTE antenna incl. router) ⁹⁾	1.42 kg



FURNISHING

Soft furnishing in white	0 kg

A.		
Π	EXTERIOR	
LJ	COLOUR	

Artense grey metallic	2.5 kg
Fer grey metallic	2.5 kg
Campovolo	0 kg
Lanzarote grey	0 kg

\bigcirc	OTHERS	
Registratio	documents	0 kg

Available in package Standard equipment
 Optional equipment Mandatory



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

* INFO

CV540 PRO	CV600 PRO	CV601 PRO	CV602 PRO	CV640 PRO	CV600 PRO+	CV640 PRO+
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	-	0	0	0	0
0	0	0	0	0	0	0
0	0	-	0	0	0	0
0	0	•	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
•	•	•	•	•	A	•

CV540 PRO	CV600 PRO	CV601 PRO	CV602 PRO	CV640 PRO	CV600 PRO+	CV640 PRO+
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	-	0	0	0	0
0	0	0	0	0	0	0
0	0	-	0	0	0	0
0	0	•	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
•	▲	▲	▲	▲	▲	▲
	•	-	•		-	-

-Not possible

▲ Not known at the time of publication

Notes from page 92

CAMPER VAN MODEL OVERVIEW



2

3

5

TYPE / MODEL

PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*

BERTHS

Length | Width | Height (cm)

Headroom in living area (cm)

Chassis

Standard engine

kW (BHP)

Mass in running order (kg)*

Manufacturer-specified mass for optional equipment (kg)*

Technically permissible maximum laden mass (kg) *

Trailer load braked (unbraked) (kg)

Tire size

Wheelbase (cm)

Bed dimension middle L x B (cm)

Bed dimension rear L x B (cm)

Refrigerator volume incl. freezer (I)

Heating type

Fresh water tank capacity total / at driving filling (l) $% \left({{\mathbf{r}}_{i}}\right) =\left({{\mathbf{r}}_{i}}\right) \left({$

Waste water tank (I)

Sockets 230 V

Sockets: USB

Gas bottle storage (filling weight in kg)

OPT Optional



7 m

6

The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you are legally permissible and possible. The permissible range in whether we should, for example, increase the load capacity of the kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment manufacturer-specified mass for optional equipment is a calculated before delivering the vehicle. The technically permissible maximum value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

CV590 4x4 ED25

0000

() () / + () OPT
598 / 206 / 284
199
Ford Transit
2,0I TDCi
122 (165)
۵
۵
3500
2580 (750)
235/65 R 16
375
169 x 87 ^{орт}
201 - 189 x 147
62
Combi 4 Gas
100 / 20 1)
90
3
2
2 x 11



Configure your dream vehicle

al • Standard equipment

Not possible

▲ Not known at the time of publication

CAMPER VAN STANDARD EQUIPMENT



- EDITION25 Pack
- Basic Pack
- Chassis Pack

-<u>`</u>∦́-**HIGHLIGHTS** EDITION25

- Ford Transit 3.500 kg | 2,01 TDCi | 122 kW (165 BHP) | EURO 6 | 6-speed manual gearbox all-wheel drive
- Chassis colour Chroma blue
- 16" alloy wheels (black)
- Soft furnishing in grey
- Folding cab blinds
- Overhead cabinet with ambient
- lighting Framed windows
- Wraparound overhead cabinet in rear
- Edition graphics
- Awning 3.5 m (black)
- 4x4 graphics
- Basic Pack
- Chassis Pack

CHASSIS / **BASE VEHICLE**

- Ford Transit 3.500 kg | 2,01 TDCi | 122 kW (165 BHP) | EURO 6 | 6-speed manual gearbox all-wheel drive
- Charge booster
- ABS (anti-lock braking system) | ESC (electronic stability program) | TBC (traction control) | EBD (electronic brake force distribution)
- Electric and heated mirrors
- Hill start assist (crosswind assist | safety brake assist | rollover
- protection)
- Driver and passanger airbag
- Tyre pressure indicator
- Headlights with daytime running lights
- Rear mud flaps & side guards • Disc brakes | rear and front wheel
- stabilisers | heat convection | tachometer | power steering | heightadjustable headlights | immobiliser | lap and diagonal seat belts
- Cruise control
- Electric cab windows
- Radiator grille chrome
- · Painted bumper
- Fix & Go breakdown kit • Thermal insulation glazing
- · Central locking cab with remote control
- Pre-collision assist
- Lane departure warning
- · Intelligent speed detection
- Fatigue warning
- · Automatic high beam control
- Back parking assistance
- · Audio remote control on steering wheel
- Leather steering wheel
- 12" display incl. Apple Car Play & Android Car | four front speakers | DAB antenna | Bluetooth interface | USB port | hands-free system
- Cup holder driver and passenger side
- USB socket in the driver's cab
- Driver and passenger seats in matching colours
- · Height and tilt adjustment for driver and passenger seat
- · Comfort swivel seats for driver and
- front passenger, each with 2 armrests and lumbar support
- 70 I fuel tank

ЮΠ **EXTERIOR** SETUP

- 7-year water ingress warranty²⁾
- Frame window double-glazed with flyscreen and blackout blind (seating area, kitchen)
- Both rear doors with hinged window (incl. roller blind)
- Roof light 28 x 28 cm over kitchen area with fly screen and blinds
- Roof light 28 x 28 cm over bedroom with fly screen and blinds
- · Sleeping extensions in the rear
- · Rear storage space with 4 integrated lashing rings
- storage options • Textile cab blinds

COMFORT

· Isofix for 2 seats

Flyscreen door

sleeping comfort

bed

• Furniture in 'Visby Oak' and 'Sand grey'

• High quality mattresses with

improved seating comfort

• Floor in 'Calais'

<u>ě</u> **HEATING /** GAS SUPPLY

- Gas bottle locker for 2 x 11 kg gas bottles
- Gas heating Combi 4
- · Gas control valves easily accessible and centrally arranged



- Ergonomically arranged kitchen with spacious work top
- · Large soft-close drawers in kitchen
 - 2 burner gas cooker with piezo
 - ignition and glass cover
 - Compressor fridge 62 l
 - LED light tube
 - Suspension bar







- Bulkhead incl. step for rear double • Rear bed with partly slatted frame
- integrated GOODSITE for better • Ergonomically shaped upholstery for
- · Easy to position spotlight in light rail
- Spacious storage compartments and

- Flexible light strip
- Individually adjustable LED spotlights
- Recessed LED spotlights in the living room and bathroom area
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Sockets 3 x 230V | 1 x USB (double)



- · Fixed washbasin Spacious storage area
- Cassette toilet C 223
- Flush fitting LED spotlights
- · Roof light with fly screen

EDITION25 PACK + 82 kg*

Basic Pack	
Chassis Pack	
Ford Transit 3.500 kg 2,0I TDCi 122 kW (165 BHP) EURO 6 6-speed manual gearbox all-wheel drive	
16" alloy wheels (black)	
Soft furnishing in grey	
Folding cab blinds	
Framed windows	
Overhead cabinet with ambient lighting	
Awning 3.5 m (black)	
Edition graphics	
4x4 graphics	

ASSISTANCE PACK LEVEL 1 + 2.5 kg*

Front parking assistance

Digital rear view camera

LED outdoor light 'Downlight'

PACKAGE PRICE (€)

BASIC PACK + 31.4 kg*

Roof light over lounge area 70 x 50 cm	
Shower equipment	
Window in bathroom	
Clothes rail in bathroom	
Wide entrance step	
Rotating plate for table extension in seating area	

INCLUDED AS STANDARD

INCLUDED AS STANDARD

CHASSIS PACK + 18 kg*

Manual cab air conditioning	
Fog lights	
Painted bumper	
Headlights with static cornering light	

INCLUDED AS STANDARD



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment ▲ Not known at the time of publication

CAMPER VAN OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV590 4X4
PACKS		
Assistance Pack Level 1	2.5 kg	0
CHASSIS / BASE VEHICLE		
Trailer coupling (fixed) incl. trailer stabilization TSC ¹⁰⁾	33 kg	0
Bi-xenon headlights with static cornering lights and LED daytime running lights	0.2 kg	0
EXTERIOR SETUP		
Bike rack for 2 bikes (black)	10 kg	0
Insulated and heated waste water tank	10.5 kg	0
COMFORT		
Bed conversion for lounging area (transversal guest bed)	5 kg	0
Wooden duckboard for the shower tray	2 kg	0
-O- INSTALLATIONS		

Second AGM leisure battery 95 Ah	27 kg
Diesel heating Combi 4 incl. integrated altitude pressure sensor and digital control panel	4.6 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Pre-cabling for reversing camera	1 kg
Pre-cabling for solar panel	2 kg
TV pre-cabling TV holder	3 kg
USB-port in the light rail	0 kg

0
0
0
0
0
0
0

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

* INFO

atory -Not possible

 ${\boldsymbol \Delta}$ Not known at the time of publication

Notes from page 92

CAMPER VAN OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV590 4X4
Polar silver	0 kg	0
Obsidian Black	0 kg	0
Grey Matter	0 kg	0



Registration documents

0 kg



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. □ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory - Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

34

▲ Not known at the time of publication

Notes from page 92

VAN **MODEL OVERVIEW**

0 1 2	4	5	6	7 m

PE / MODEL	V132	V337	V339
RMITTED NUMBER OF SEATS CLUDING DRIVER)*	0000	6666	0000
THS	Ů Ů / + Ů орт	ប៉ី ប៉ី	රි රි
gth Width Height (cm)	594 / 214 / 271	664 / 214 / 271	685 / 214 / 271
adroom in living area (cm)	195	195	195
assis	Citroën Jumper	Citroën Jumper	Citroën Jumper
ndard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
(BHP)	103 (140)	103 (140)	103 (140)
ss in running order (kg)*	2578 (2449 to 2707)*	2633 (2501 to 2765)*	2681 (2547 to 2815)*
nufacturer-specified mass for optional ipment (kg)*	588	526	468
chnically permissible maximum laden ss (kg) *	3500	3500	3500
iler load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
e size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
eelbase (cm)	345	380	380
I dimension middle L x B (cm)	192 x 65 - 45 ^{орт}		
l dimension rear L x B (cm)	194 x 140 - 130	200 x 70 195 x 80 200 - 195 x 194 ^{орт}	195 x 140
rigerator volume incl. freezer (I)	78 (11)	78 (11)	78 (11)
ating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
sh water tank capacity total / at driving ng (l)	116 / 20 ¹⁾	116 / 20 1)	116 / 20 1)
ste water tank (I)	92	92	92
kets 230 V	4	4	4
kets: USB	4	2	2
er dimensions storage locker right/left (H (cm)	65 x 110 45 x 85 ^{орт}	65 x 105 70 x 75 ^{орт}	85 x 90 85 x 90
s bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

TYPE / MODEL	V132	V337	V339
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	0000
BERTHS	⁰ 0 / + 0 орт	<u></u>	ů ů
Length Width Height (cm)	594 / 214 / 271	664 / 214 / 271	685 / 214 / 271
Headroom in living area (cm)	195	195	195
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2578 (2449 to 2707)*	2633 (2501 to 2765)*	2681 (2547 to 2815)*
Manufacturer-specified mass for optional equipment (kg)*	588	526	468
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	380	380
Bed dimension middle L x B (cm)	192 x 65 - 45 ^{орт}		
Bed dimension rear L x B (cm)	194 x 140 - 130	200 x 70 195 x 80 200 - 195 x 194 ^{орт}	195 x 140
Refrigerator volume incl. freezer (I)	78 (11)	78 (11)	78 (11)
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	116 / 20 ¹⁾	116 / 20 ¹⁾	116 / 20 ¹⁾
Waste water tank (I)	92	92	92
Sockets 230 V	4	4	4
Sockets: USB	4	2	2
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 85 ^{орт}	65 x 105 70 x 75 ^{орт}	85 x 90 85 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

OPT Optional



The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

36



Configure your dream vehicle

Standard equipment

Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

CHASSIS / **BASE VEHICLE**

- Citroën Jumper 3.500 kg | 2.2 BlueHDi | 103 kW | 140 BHP Euro 6 |
- 6-speed manual gearbox • Front wheel drive
- Cruise control
- Driver and Passanger airbag • ABS | EBD | ESP incl. ABS and
- Hillholder
- Traction+ incl. Hill Descent Control
- Comfortable driving experience with
- rear and front axle stabilizers • Start & stop function incl. charge
- booster • Electric and heated mirrors
- Radio aerial integrated in mirror
- Daytime running lights | integrated in headlights
- · Headlights with black frame • Electric operated cab windows and
- central locking • Fix & Go breakdown kit
- Captain chairs with covers
- Central cup holder

- Radio pre-wiring including speakers
- Disc brakes | heat convection | tachometer | power steering |
- immobiliser | 3-point seat belt
- Tyres M+S Camping (snowflake)
- 15" steel rims
- Driver and passenger seats with
- lumbar support
- Driver and passenger seats swivel
- Height and tilt adjustable driver and
- 60 I fuel tank

ЮŊ. **EXTERIOR SETUP**

- 7-year water ingress warranty²⁾ • GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls • Roof and sidewall thickness 34 mm |
- floor thickness 42,5 mm • Rear light carrier in three parts with
- integrated LED multifunction lights • High quality entrance door with ergonomic handle inside and outside
- · Electric entrance step
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- Manual cab air conditioning
- USB charger (A+C)
- Multifunction steering wheel

- armrests & upholstered covers
- Driver and passenger seat with

- front passenger seats

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension

COMFORT

- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Overhead lockers with softclose system
- Furniture in 'Visby Oak'
- Floor in 'Calais'

-Ò. **INSTALLATIONS**

- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and
- Automatic switching and separating systems for starter and leisure
- Electric charger for leisure and
- CEE 230 V external socket with
- Residual Current Device (RCD)
- LED-Awning light

- Fresh water tank capacity total 116 ||
- waste water tank 92 l

BATHROOM EQUIPMENT



• Soft furnishing in black

- Vario-bathroom
- · Roof vent with integrated flyscreen hlind
- Large mirrors
- Clothes rail in bathroom · Shower cubicle lining

HEATING / GAS SUPPLY


(Q)

and centrally arranged

• Gas bottle locker for 2 x 11 kg gas

• Gas heating Combi 4

bottles



- battery capacity
- battery as well as for refrigerator
- vehicle battery 12 V / 18 A
- safety device

- LED Interior light
- USB Socket A/C



- · Gas control valves easily accessible
- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner gas cooker with piezo ignition and glass cover
- Fridge 78 | with 11 | freezer compartment
- Waste bin



· Chassis colour white

MOTORHOME PACKS

PRO+ PACK V132 + 100 kg*

Optic Pack 1 | Painted bumpers
Optic Pack 2 | Alloy wheels

Basic Pack

TV-Pack (22" Smart TV & holder | Teleco Telesat 65)

Artense grey metallic

Folding cab blinds

Cab sunroof

Special coloured overhead storage and cupboard doors in cozy white

pro+ decals

Awning 3.5 m

Insulated waste water tank

2nd external storage door (size depends on layout)

PACKAGE PRICE (€)

PRO+ PACK V337 + 101 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
TV-Pack (22" Smart TV & holder Teleco Telesat 65)	
Artense grey metallic	
Folding cab blinds	
Cab sunroof	
Special coloured overhead storage and cupboard doors in cozy white	
pro+ decals	
Awning 4 m	
Insulated waste water tank	
2nd external storage door (size depends on layout)	

PACKAGE PRICE (€)

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO+ PACK V339 + 98 kg*

Optic Pack 1 | Painted bumpersOptic Pack 2 | Alloy wheelsBasic PackArtense grey metallicFolding cab blindsCab sunroofSpecial coloured overhead storage and cupboard doors in cozy whitepro+ decalsAwning 4 mTV-Pack (22" Smart TV & holder | Teleco Telesat 65)Insulated waste water tank

PACKAGE PRICE (€)

BASIC PACK + 14.6 kg*

Panoramic roof light 70 x 50 cm Clear glass roof light 40 x 40 Mirror and coat hooks Bridge Light Flyscreen door (one-piece)

PACKAGE PRICE (€)



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment ▲ Not known at the time of publication

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

PACKAGE PRICE (€)

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) 16" alloy wheels two-colour

PACKAGE PRICE (€)

DIGITAL PACK + 4 kg*

 Automatic cab air conditioning with pollen filter

 Wireless smartphone charging

 10" radio and navigation system (DAB+)

 7" digital TFT color display

 Rear view camera without grid lines

PACKAGE PRICE (€)

SAFETY PACK + 0 kg*

Automatic braking system with pedestrian detection	
Rain and light sensor	
Lane assist	
Traffic sign recognition	
Driver fatigue detection	
Intelligent speed detection	

PACKAGE PRICE (€)



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* MORE SAFETY WHEN TRAVELING!


With an additional rotary bolt lock for all body doors and a security package with alarm system for windows you can protect your vehicle in the best possible way.

We also offer suitable safes, to keep your valuables safe.

SECURITY PACK WITH ALARM SYSTEM



ARTICLE Security package / alarm system



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
	Coachbuilt		
Decementary decements			
Passenger door safe	Camper Van Fiat		
Fiat Ducato	Van		
(Series 8)	Low profile Fiat	3436402	4,17 kg
Passenger door safe	Camper Van Ford		
ford	Low Profile Ford	8502174	3,45 kg
	Low profile Fiat		
Floor safe	Integrated	2977685	12 kg

OSRAM NIGHT BREAKER LED



ARTICLE Osram Night Breaker LED

THEFT DETECTION - PROTECT & CONNECT POWERED BY VODAFONE AUTOMOTIVE



ARTICLE Theft Tracking – Protect & Connect powered by Vodafone automotive

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.

42



UITABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Coachbuilt Van	3002806	1 kg

oor safe: Fits T448, T447 Fiat and T447 Ford, I447 and I449.

UITABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Coachbuilt Campervan Fiat Van	8502148	0,1 kg

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Coachbuilt		
Campervan Fiat		
Integrated Van		
Camper Van Ford		
Low Profile Ford	3061768	0,21 kg



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	V132	V337	V339
PACKS				
pro+ Pack V132	100 kg	0	-	-
pro+ Pack V337	101 kg	-	0	-
pro+ Pack V339	98 kg	-	-	0
Basic Pack	14.6 kg	0	0	0
Optic Pack 1 Painted bumpers	3 kg	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0
Digital Pack	4 kg	0	0	0
Safety Pack	0 kg	0	0	0
CHASSIS / BASE VEHICLE Citroën Jumper 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed	60 kg	0	0	0
automatic gearbox ¹¹⁾	60 kg	0	0	0
Citroën Jumper 3.500 kg 2.2 BlueHDi 132 kW 180 BHP Euro 6 8-speed automatic gearbox ¹¹⁾	60 kg	-	0	0
90 I fuel tank	23 kg	0	0	0
Tyre pressure indicator	0 kg	0	0	0
Fully LED headlights including indicators and LED daytime running lights	0 kg	0	0	0
Electric parking brake	-9.4 kg	0	0	0
INCREASE OF LOAD CAPACITY				
Weight increase to 3,65 t (no chassis modification) *	0 kg	0	0	0
EXTERIOR SETUP				
Cab sunroof	7 kg			•
Two rear corner steadies	6 kg	0	0	0

Two rear corner steadies	6 kg
Bike rack for 3 bikes	12.5 kg
2nd external storage door (size depends on layout)	3 kg
Insulated waste water tank	8 kg

 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰
 ۰

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory ¬ Not possible



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

•
0
0
•

 $oldsymbol{\Delta}$ Not known at the time of publication

Notes from page 92

COMFORT

Bed conversion for seating area ¹²⁾	5 kg
Bed conversion single to double bed	5 kg
Carpet	5 kg
Wooden duckboard for the shower tray	2 kg
Folding cab blinds	8 kg

V132	V337	V339
0	-	-
-	0	-
0	0	0
0	0	0
•	•	•
0	0	o
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0



Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Pre-cabling for solar panel	2 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg
Oven in kitchen	12 kg

V132	V337	V339
0	-	-
-	0	-
0	0	o
0	0	0
D D	•	•
0	0	0
0	0	o
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

	SOFT FURNISHING		
Soft furnishir	ng in white	0 kg	0
(\cdots)			

\bigcirc	OTHERS	
Regist	ration documents	0 kg

Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory Not possible ▲ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment information section.

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



Notes from page 92

SEMI-INTEGRATED MODEL OVERVIEW

0 1	2	3	4	5	6	7 m

TYPE / MODEL	T135	T33 8	T447
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	() () () () () () () () () () () () () (
BERTHS	රි රි	Ů Ů / + Ů Ů ОРТ	Ů Ů / + Ů Ů Ů ОРТ
Length Width Height (cm)	594 / 232 / 290	695 / 232 / 290	739 / 232 / 290
Headroom in living area (cm)	195	210	210
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2717 (2581 to 2853)*	2792 (2652 to 2932)*	2896 (2751 to 3041)*
Manufacturer-specified mass for optional equipment (kg)*	437	350	240
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	380	404
Lying area Alcove / pull-down bed (cm)		195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}
Bed dimension middle L x B (cm)			210 x 65 ^{орт}
Bed dimension rear L x B (cm)	200 x 135 - 115	190 x 80 200 x 80 210 x 159 ^{орт}	210 x 80 215 x 80 210 x 168 ^{орт}
Refrigerator volume incl. freezer (I)	78 (11)	78 (11) 156 (29) ^{орт}	78 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 ¹⁾	122 / 20 1)	122 / 20 1)
Waste water tank (I)	92	92	92
Sockets 230 V	5	4	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	65 x 75	95 x 110 75 x 80 ^{орт}	95 x 110 75 x 80 ^{ספד}
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

48



Configure your dream vehicle

OPT Optional • Standard equipment

nt -Not possible

▲ Not known at the time of publication

SEMI-INTEGRATED MODEL OVERVIEW

0 1 2 3 4	5 6 7m

TYPE / MODEL	T448	T457	T459
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	() () () () / + () OPT	6666	0000
BERTHS	ŮÛ / + Ü Ü Ö OPT	θ θ / + θ θ θ ορτ	ŮÛ / + Û Û Û ОРТ
Length Width Height (cm)	729 / 232 / 290	739 / 232 / 290	739 / 232 / 290
Headroom in living area (cm)	210	210	210
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2854 (2711 to 2997)*	2911 (2765 to 3057)*	2912 (2766 to 3058)*
Manufacturer-specified mass for optional equipment (kg)*	284	243	221
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	404	404	404
Lying area Alcove / pull-down bed (cm)	195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}
Bed dimension middle L x B (cm)	210 x 100 ^{opt}	210 x 93 ^{орт}	210 x 93 ^{орт}
Bed dimension rear L x B (cm)	205 x 80 210 x 80 210 x 168 ^{орт}	2x 200 x 80 210 x 168 ^{opt}	195 x 150
Refrigerator volume incl. freezer (I)	78 (11) 156 (29) ^{орт}	78 (11) 156 (29) ^{орт}	78 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 1)	122 / 20 1)	122 / 20 ¹⁾
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{орт}	95 x 110 75 x 80 ^{орт}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

OPT Optional

The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment manufacturer-specified mass for optional equipment is a calculated before delivering the vehicle. The technically permissible maximum value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

50



Configure your dream vehicle

Standard equipment

Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

CHASSIS / **BASE VEHICLE**

- Fiat Ducato 3.500 kg | 2.2 Multijet | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- Chassis colour white
- Wide-track chassis
- Front wheel drive
- · Daytime running lights integrated in headlights
- · Headlights with black frame
- Cruise control
- Driver airbag
- · Passenger airbag
- ABS | EBD | ESP incl. ABS and Hillholder
- Traction+
- Start & Stop function incl. charge booster
- Multifunction steering wheel
- USB charger (A+C)
- Electric operated cab windows and central locking
- Fix & Go breakdown kit
- Central cup holder
- Comfortable driving experience with rear and front axle stabilizers
- Manual cab air conditioning
- Disc brakes | heat convection | tachometer | power steering |
- immobiliser | 3-point seat belt • 15" steel rims
- Tyres M+S Camping (snowflake)
- Electric and heated mirrors
- · Radio aerial integrated in mirror
- Captain chairs with covers
- Driver and passenger seats with armrests & upholstered covers
- · Driver and passenger seats swivel on Low Profile A-Class models and
- Overcab A132 · Driver and passenger seat with
- lumbar support • Height and tilt adjustable driver and
- front passenger seats
- 60 I fuel tank
- Radio pre-wiring including speakers

ЮП **EXTERIOR SETUP**

- 7-year water ingress warranty²⁾ • GRP (glass fibre reinforced plastic)
- roof and rear wall Aluminium sidewalls
- Roof and sidewall thickness 34 mm floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights • Double glazed hinged window with cassette blinds and flyscreens
- (except for bathroom) • Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- · High quality entrance door with ergonomic handle inside and outside

- Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats

COMFORT

- · L-shape lounge with free-standing and rotating table ¹³⁾
- Table extension ¹⁴⁾
- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- · Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'

INSTALLATIONS

- · LED lighting integrated above the roof cabinets
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- · Mirror and coat hooks
- USB Socket 3x A / 1x C (layout
- depending)
- Fresh water tank capacity total 122 | waste water tank 92 l
- BATHROOM EQUIPMENT



· Soft furnishing in white

- Vario-bathroom ¹⁶⁾
- · Spacious bathroom with separate shower on the opposite side ¹⁷⁾
- Bathroom with bench toilet and integrated shower cubicle ¹⁸⁾
- Swivel cassette toilet with electric flush ¹⁹⁾
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- Clothes rail in bathroom
- · Flexible railing system with two hooks ²⁰⁾

GAS SUPPLY • Gas bottle locker for 2 x 11 kg gas

HEATING /

Q

- bottles Gas control valves easily accessible
 - and centrally arranged Gas heating Combi 6



- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- Fridge 78 | with 11 | freezer compartment
- LED light band
- Waste bin
- · Flexible railing system with 2 hooks

MOTORHOME PACKS

PRO PACK T135 + 48.3 kg*

Optic Pack 1 | Painted bumpers Optic Pack 2 | Alloy wheels Basic Pack Folding cab blinds Cab sunroof Insulated waste water tank pro decals

PACKAGE PRICE (€)

PRO PACK T338 & T448 & T447 & T457 + 64.3 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
Folding cab blinds	
Cab sunroof	
Large 156 I fridge with separate 29 I freezer compartment	
Insulated waste water tank	
2nd external storage door (size depends on layout)	
pro decals	

PACKAGE PRICE (€)

PRO PACK T459 + 61.3 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

Folding cab blinds

Cab sunroof

Large 156 | fridge with separate 29 | freezer compartment

Insulated waste water tank

pro decals

PACKAGE PRICE (€)

PRO+ PACK T135 + 105.5 kg*

Optic Pack 1 Painted bumpers
Optic Pack 2 Alloy wheels
Basic Pack
TV-Pack (22" Smart TV & holder Teleco Telesat 65)
Artense grey metallic
Folding cab blinds
Cab sunroof
Insulated waste water tank
Awning 3.5 m
Framed windows
High-level rear light cluster
pro+ decals

PACKAGE PRICE (€)

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment ▲ Not known at the time of publication

PRO+ PACK T338 + 122.8 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
TV-Pack (22" Smart TV & holder Teleco Telesat 65)	
Artense grey metallic	
Folding cab blinds	
Cab sunroof	
Large 156 fridge with separate 29 freezer compartment	
Insulated waste water tank	
Awning 4 m	
Framed windows	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
pro+ decals	

PACKAGE PRICE (€)

PRO+ PACK T447 & T448 & T457 + 126.8 kg*

Optic Pack 1 Painted bumpers
Optic Pack 2 Alloy wheels
Artense grey metallic
Basic Pack
Folding cab blinds
Cab sunroof
Large 156 fridge with separate 29 freezer compartment
Insulated waste water tank
Awning 4.5 m
TV-Pack (22" Smart TV & holder Teleco Telesat 65)
Framed windows
High-level rear light cluster
2nd external storage door (size depends on layout)
pro+ decals

PACKAGE PRICE (€)

PRO+ PACK T459 + 123.8 kg*

Optic Pack 1 Painted bumpers
Optic Pack 2 Alloy wheels
Artense grey metallic
Basic Pack
Folding cab blinds
Cab sunroof
Large 156 fridge with separate 29 freezer compartment
Insulated waste water tank
Awning 4.5 m
TV-Pack (22" Smart TV & holder Teleco Telesat 65)
Framed windows
High-level rear light cluster
pro+ decals

PACKAGE PRICE (€)

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm
Clear glass roof light 40 x 40
Flyscreen door (one-piece)
Comfort entrance door
Bridge Light

PACKAGE PRICE (€)

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

56

 Δ Not known at the time of publication

SAFETY PACK INCL. ACC + 0 kg*

Automatic braking system with pedestrian detection Rain and light sensor Lane assist Traffic sign recognition Fatigue detection Intelligent speed detection Adaptive cruise control >30 km/h

PACKAGE PRICE (€)

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter

Wireless smartphone charging

10" radio and navigation system (DAB+)

7" digital TFT color display

Rear view camera without grid lines

PACKAGE PRICE (€)

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

PACKAGE PRICE (€)

OPTIC PACK 2 ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

PACKAGE PRICE (€)



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* EVERYTHING IN ITS PLACE!

Discover our Carado Bike Carrier for safe and space-saving bicycle transport in the rear garage.

Use the magnetic board and the accessories for the embedded rails in the vehicle, to create order and maximize storage space.

SUIT

SUIT

The pull-out kitchen allows easy access to kitchen utensils, while the pull-out seat keeps your Seating area expanded and valuable storage space created.

BIKE CARRIER



ARTICLE	
Bike carrier for 2 Bicycles	
Extension set for bike carriers	
Wheel shell for wide tires	

ACCESSORIES FOR THE BALDACCI RAIL





Coffee capsule holder

ARTICLE

KITCHEN EXTENSION



PULL-OUT SEAT

SUIT Kitchen drawer

Kitchen pull-out: Fits the following vehicles T338 Ford, T447 Ford, T338, T447, T448, all

SUI ARTICLE Seat extension 300 mm Seat extension 600 mm

Seat pull-out: Not possible with the 5th seat option. Seat pull-out 300 mm: Does not fit T338 Fiat and T338 Ford. Seat pull-out 600 mm: Fits T447 Fiat, T448, T459, I449, I338 and all alcoves.

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.



ABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Coachbuilt Integrated Vans	3143704	6,5 kg
	3247513	1,5 kg
	8502061	0,66 kg

TABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Integrated	3105869	0,06 kg
	3105895	0,29 kg
Coachbuilt Camper Van Fiat	3106155	0,31 kg
Low Profile Ford	3106160	0,16 kg

TABLE FOR SERIES	ARTNR.	WEIGHT*
Low profile Fiat Integrated	3040760	5,6 kg
s only without the oven opti	on:	

TABLE FOR SERIES	ARTNR.	WEIGHT*
Integrated	3246706	4,1 kg
Low profile Fiat Coachbuilt	3246710	8 kg



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	T135	T338	T447
PACKS				
pro Pack T135	48.3 kg	0	-	-
pro pack T338 & T448 & T447 & T457	64.3 kg	-	0	0
pro Pack T459	61.3 kg	-	-	-
pro+ Pack T135	105.5 kg	0	-	-
pro+ Pack T338	122.8 kg	-	0	-
pro+ Pack T447 & T448 & T457	126.8 kg	-	-	0
pro+ Pack T459	123.8 kg	-	-	-
Basic Pack	14.3 kg	0	0	0
Safety Pack incl. ACC ²¹⁾	0 kg	0	0	0
Digital Pack	4 kg	0	0	0
Optic Pack 1 Painted bumpers	3 kg	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0



BASE VEHICLE

Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox ¹¹⁾	60 kg
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox ¹¹⁾	60 kg
90 l fuel tank	23 kg
Fully LED headlights including indicators and LED daytime running lights	0 kg
Tyre pressure indicator	0 kg
Electric parking brake	-9.4 kg

0	0	0
-	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0

മ

Weight increase to 3.650 kg (no chassis modification) *	0 kg
Fiat Ducato Maxi Chassis 4.400 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8- speed automatic gearbox*	60 kg

Available in package Standard equipment Optional equipment Mandatory



0

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

60

T457

T459

-	-	-
0	0	-
-	-	0
-	-	-
-	-	-
0	0	-
-	-	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0



-Not possible

▲ Not known at the time of publication

Notes from page 92

4 kg			•
5 kg		D	
8 kg		D	•
7 kg			
3 kg	-	D	•
6 kg	0	0	0
12.5 kg	0	0	0
5 kg	-	0	0
5 kg	-	-	0
44 kg	-	0	0
15 kg	-	-	0
2 kg	0	0	0
5 kg	0	0	0
8 kg		•	•
	5 kg 8 kg 7 kg 3 kg 6 kg 12.5 kg 5 kg 44 kg 15 kg 15 kg 2 kg 5 kg	4 kg 0 5 kg 0 8 kg 0 7 kg 0 3 kg - 6 kg 0 12.5 kg - 5 kg - 12.5 kg - 5 kg - 6 kg - 5 kg - 5 kg - 6 kg - 5 kg - 6 kg -	4 kg 0 0 5 kg 0 0 8 kg 0 0 7 kg 0 0 3 kg - 0 6 kg 0 0 12.5 kg 0 0 5 kg - - 12.5 kg - 0 5 kg - - 15 kg - - 15 kg - - 5 kg - - 6 kg 0 0 5 kg - - 6 kg - 0 6 kg - <td< td=""></td<>

ADDITIONAL WEIGHT*

T135

T338

-Ò(-INSTALLATIONS

OPTIONAL EXTRAS

Large 156 I fridge with separate 29 I freezer compartment	13 kg
Oven in kitchen (only in conjunction with 156 l fridge)	12 kg
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for solar panel	2 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg



Soft furnishing in brown	0 kg



Registratio	n documents	

0 kg

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

0	0	0	
A	A	A	
Available in package	 Standard equipment 	○ Optional equipment	▲ Mandato

0

0

0

0

0

0

0

0



0

0

0

0 0

0 0

0

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

T448		

T447

0

0

0

0

0

0

0

0

448	T457	T459

•		D
D	D	D
•	D	D
		D
•	D	•
0	0	0
0	0	0

0	0	-
0	0	0
0	0	0
0	-	-
0	0	0
0	0	0
•		•

D	D	•
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0



-Not possible tory

▲ Not known at the time of publication

Notes from page 92

0 1 2	3	4 5	6 7 m	

T338 ED2 TYPE / MODEL ពុំពុំ PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)* 00/+00 BERTHS 699 / 232 / 3 Length | Width | Height (cm) Headroom in living area (cm) Chassis Ford Tra Standard engine 2,0I T kW (BHP) 96 (13 Mass in running order (kg)* 2946 (2799 to 309 Manufacturer-specified mass for optional equipment (kg)* Technically permissible maximum laden 35 mass (kg) * Trailer load braked (unbraked) (kg) 2000 (7 Tire size 225/75 R 16

Wheelbase (cm) Lying area Alcove / pull-down bed (cm) 195 x 140 - 110 Bed dimension middle L x B (cm) Bed dimension rear L x B (cm) 192 x 200 x 210 x 153 Refrigerator volume incl. freezer (I) 156 (156 Heating type Combi 6 0 Fresh water tank capacity total / at driving 122 / 2 filling (I) Waste water tank (I) Sockets 230 V Sockets: USB Inner dimensions storage locker right/left 75 x W x H (cm) 75 x Gas bottle storage (filling weight in kg) 2

OPT Optional

The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment manufacturer-specified mass for optional equipment is a calculated before delivering the vehicle. The technically permissible maximum value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

T449 ED25	T447 ED25	25
Ů Ů Ů Ů / + Ů OPT	() () () () () () () () () () () () () (00
ŮŮ / + ŮŮ OPT	⁰ ⁰ / + ⁰ ⁰ ⁰ ⁰ ⁰ ⁰) О РТ
736 / 232 / 306	736 / 232 / 306	306
210	210	210
Ford Transit	Ford Transit	insit
2,0l TDCi	2,0l TDCi	DCi
96 (130)	96 (130)	130)
3003 (2853 to 3153)*	2996 (2846 to 3146)*	93)*
142	150	200
3500	3500	500
2000 (750)	2000 (750)	750)
225/75 R 16 CP	225/75 R 16 CP	6 CP
395	395	375
195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}) ОРТ
210 x 50 ^{орт}	210 x 50 ^{OPT}	
195 x 150	205 x 80 212 x 80 210 x 168 ^{орт}	к 80 к 80 5 орт
156 (29) 156 (29)	156 (29) 156 (29)	(29) (29)
Combi 6 Gas	Combi 6 Gas	Gas
122 / 20 1)	122 / 20 1)	20 1)
92	92	92
5	5	4
4	4	4
105 x 90 105 x 90	95 x 110 75 x 80	(110 (80
2 x 11	2 x 11	x 11



Configure your dream vehicle

al • Standard equipment

quipment – No

-Not possible

 $oldsymbol{\Delta}$ Not known at the time of publication

MOTORHOME STANDARD EQUIPMENT



• EDITION25 Pack

HIGHLIGHTS EDITION25

- Chassis colour Chroma blue
- Edition graphics
- 16" alloy wheels (black) Insulated waste water tank
- Awning (Length depends on layout)
- Cab sunroof
- Folding cab blinds
- Large 156 | fridge with separate 29 |
- freezer compartment • 12V TV pre-cabling incl. flat screen
- holder • TV-Pack (22" Smart TV & holder | Teleco Telesat 65)
- Framed windows
- High-level rear light cluster
- 2nd external storage door (size
- depends on layout)
- Soft furnishing in grey
- Basic Pack
- Chassis Pack

CHASSIS / BASE VEHICLE

- Ford Transit 3.500 kg | 2,0l TDCi | 96 kW (130 BHP) | Euro 6 | 6-speed manual gearbox
- Wide-track chassis
- Front wheel drive
- Headlights with daytime running lights
- Cruise control
- Driver and passanger airbag
- ABS (anti-lock braking system) | ESC (electronic stability program) | TBC (traction control) | EBD (electronic brake force distribution)
- Hill start assist (crosswind assist | safety brake assist | rollover protection)
- Tyre pressure indicatorStart & Stop function incl. charge
- booster
- Electric cab windows
- Central locking cab with remote control
- Radiator grille chrome
- Electric parking brake
- Front parking assistance
- 12" display incl. Apple Car Play & Android Car | four front speakers | DAB antenna | Bluetooth interface | USB port | hands-free system
- Leather steering wheel
- Cup holder driver and passenger side
- Tablet holder and USB port
- Pre-collision assist
- Lane departure warning
- Intelligent speed detection
- Fatigue warning
- Automatic high beam control
- Disc brakes | rear and front wheel stabilisers | heat convection | tachometer | power steering | heightadjustable headlights | immobiliser | lap and diagonal seat belts
- Electric and heated mirrors
- Comfort swivel seats for driver and front passenger, each with 2 armrests and lumbar support
- Height and tilt adjustment for driver and passenger seat
- Driver and passenger seats in
- matching colours
- Fix & Go breakdown kit
- Rear view camera
- 70 l fuel tank
- Painted bumper

EXTERIOR SETUP

- 7-year water ingress warranty ²⁾
 GRP (glass fibre reinforced plastic)
- roof and rear wall • Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass
 and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with
 ergonomic handle inside and outside

HEATING / GAS SUPPLY

- Gas bottle locker for 2 x 11 kg gas bottles
- Gas control valves easily accessible and centrally arranged
- Gas heating Combi 6

- Ergonomically arranged kitchen spacious work top
- Large soft-close drawers in kitch
- 2 burner hob and glass lid
- Large stainless steel circular sink
 cover
- LED light band
- Waste bin
- Flexible railing system with 2 hot 15)
- Large 156 | fridge with separate freezer compartment



Ergonomically shaped upholstery

- improved seating comfort • Isofix for 2 seats
- Isofix for 2 seats
 Table extension

COMFORT

- High-quality mattress in all beds
- Removable and washable mattree
 cover
- Wooden slatted frame in all fixed beds for better sleeping comfort
- Spacious storage compartments storage options
- Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'



y for	 LED lighting integrated above the roof cabinets
	High-performance, maintenance-free leisure battery (95 Ah AGM)
	 On-board control panel supplies
SS	information about filling levels and battery capacity
1-	 Automatic switching and separating
а-	systems for starter and leisure
and	battery as well as for refrigerator
	 Electric charger for leisure and
d	vehicle battery 12 V / 18 A
	 CEE 230 V external socket with
d	safety device
	 Residual Current Device (RCD)
	 LED-Awning light
	LED Interior light
	Mirror and coat hooks
	 USB Socket 3x A / 1x C (layout
	depending)
	Fresh water tank capacity total 122 waste water tank 92
	10//T// new appling incl. flat across

12V TV pre-cabling incl. flat screen holder

BATHROOM EQUIPMENT

with	 Vario-bathroom ¹⁶⁾
	 Spacious bathroom with separate
nen	shower on the opposite side ¹⁷⁾
	 Swivel cassette toilet with electric
c with	flush
	 Roof vent with integrated flyscreen blind (depending on model)
	Large mirrors
oks	Clothes rail in bathroom
	 Flexible railing system with two
29 I	hooks ²⁰⁾

MOTORHOME PACKS

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40 Flyscreen door (one-piece)

Comfort entrance door

Bridge Light

INCLUDED AS STANDARD

CHASSIS PACK + 18 kg*

Manual cab air conditioning

Fog lights

Painted bumper

Headlights with static cornering light

INCLUDED AS STANDARD

EDITION25 PACK + 127 kg*

Basic Pack
Chassis Pack
TV-Pack (22" Smart TV & holder Teleco Telesat 65)
Chassis colour Chroma blue
16" alloy wheels (black)
Folding cab blinds
Cab sunroof
Large 156 fridge with separate 29 freezer compartment
Insulated waste water tank
Awning (Length depends on layout)
Framed windows
High-level rear light cluster
2nd external storage door (size depends on layout)
Edition graphics
Soft furnishing in grey

ASSISTANCE PACK + 2.6 kg*

Traffic sign recognition

Adaptive cruise control

Navigation

Dual heated and power folding rear view mirrors

PACKAGE PRICE (€)

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

68

INCLUDED AS STANDARD

 Δ Not known at the time of publication

MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	T338 ED25	T447 ED25	T449 ED25
PACKS				
Assistance Pack	2.6 kg	0	0	0
CHASSIS / BASE VEHICLE				
Ford Transit 3.500 kg 2,0I TDCi 122 kW (165 BHP) Euro 6 6-speed manual gearbox	0 kg	0	o	0
Ford Transit 3.500 kg 2,0I TDCi 122 kW (165 BHP) Euro 6 8-speed automatic gearbox	55 kg	o	o	o
Bi-xenon headlights with static cornering lights and LED daytime running lights	0.2 kg	0	0	0
INCREASE OF LOAD CAPACITY				
Ford Transit Maxi Chassis 4.100 kg 2,0l TDCi 122 kW (165 BHP) Euro 6 8-speed automatic gearbox* $^{\rm 23)}$	58.5 kg	0	0	0
EXTERIOR SETUP				
Two rear corner steadies	6 kg	0	0	0
Bike rack for 3 bikes	12.5 kg	0	0	0
		Available in package Standard equipment	○ Optional equipment ▲ Mandatory - Not possible	Δ Not known at the time of publication Notes from page 92



Two rear corner steadies	6 kg	0	0
Bike rack for 3 bikes	12.5 kg	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.





The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment information section.

COMFORT

5th seat on side bench with seat belt * ²²⁾	15 kg
Carpet	5 kg
Pull-down bed with Clima-Plux elements	44 kg
Wooden duckboard for the shower tray	2 kg
Bed conversion for seating area	5 kg
Bed conversion single to double bed	5 kg

-	0	0
0	0	0
0	0	0
0	0	0
-	0	0
0	0	-



Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg	0	0	0
Second AGM leisure battery 95 Ah	27 kg	0	0	0
Heating Combi 6 E (with el. heating element) digital control panel	2 kg	0	0	0
Electric floor heating in living area	6 kg	0	0	0
Pre-cabling for solar panel	2 kg	0	0	0
Oven in kitchen	12 kg	0	0	0

OTHERS

Registration documents	0
Registration documents	0

Available in package Standard equipment
 Optional equipment Mandatory -Not possible ▲ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



72

-	_	

Notes from page 92

INTEGRATED MODEL OVERVIEW



TYPE / MODEL	1338	447	1449
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	() () () () () () () OPT	() () () () () () () () () () () () () (
BERTHS	<u> </u>	ŮŮV+ŮОРТ	ŮŮŮV + Ů ОРТ
Length Width Height (cm)	697 / 232 / 290	740 / 232 / 290	740 / 232 / 290
Headroom in living area (cm)	210	210	210
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2884 (2740 to 3028)*	2961 (2813 to 3109)*	2972 (2823 to 3121)*
Manufacturer-specified mass for optional equipment (kg)*	263	177	166
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	380	404	404
Lying area Alcove / pull-down bed (cm)	200 x 150	200 x 150	200 x 150
Bed dimension middle L x B (cm)		210 x 65 ^{орт}	210 x 65 ^{орт}
Bed dimension rear L x B (cm)	190 x 80 200 x 80 210 x 159 ^{орт}	210 x 80 215 x 80 210 x 168 ^{орт}	195 x 150
Refrigerator volume incl. freezer (I)	78 (11) 156 (29) ^{орт}	78 (11) 156 (29) ^{орт}	78 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 1)	122 / 20 ¹⁾	122 / 20 1)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{орт}	95 x 110 75 x 80 ^{орт}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

OPT Optional

* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

338

1447

1449



Configure your dream vehicle

al • Standard equipment

uipment -No

Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

CHASSIS / **BASE VEHICLE**

- Fiat Ducato 3.500 kg | 2.2 Multijet | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- Wide-track chassis
- Front wheel drive
- Cruise control
- Driver airbag
- Passenger airbag
- ABS | EBD | ESP incl. ABS and Hillholder
- Traction+
- Start & Stop function incl. charge booster
- · Low vibration, electrical and heated cab mirrors in coach optic with wide angle
- Panoramic laminated glass windshield all-round
- Fix & Go breakdown kit
- Central cup holder
- · Manual cab air conditioning
- Multifunction steering wheel
- USB charger (A+C)
- Comfortable driving experience with rear and front axle stabilizers
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- 15" steel rims
- Tyres M+S Camping (snowflake)
- Pilot seats with covers
- Driver and passenger seat with lumbar support
- · Driver and passenger seats swivel on Low Profile A-Class models and Overcab A132
- 60 | fuel tank
- · Height and tilt adjustable driver and
- front passenger seats
- Headlamp trim in grey
- Full LED front lighting (daytime
- running light, low beam, high beam and turn signal)
- · Daytime running lights integrated in headlights
- Driver's cab door left
- Radio pre-wiring with loudspeakers and antenna

ЮΠ **EXTERIOR SETUP**

- 7-year water ingress warranty²⁾ • GRP (glass fibre reinforced plastic)
- roof and rear wall Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights • Cab blinds for best insulation and
- privacy shield • Double glazed hinged window with
- cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen Coupé entrance
- Large rear garage with lowered frame | lashing rings and interior
- lighting (depending on model) • Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside

- COMFORT
- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- · L-shape lounge with free-standing and rotating table ¹³⁾
- Table extension ¹⁴⁾
- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Pull-down bed with Clima-Plux elements
- Spacious storage compartments and storage options
- · Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'

-Ò **INSTALLATIONS**

(è **HEATING /** GAS SUPPLY

Gas control valves easily accessible

and centrally arranged

bottles

- · LED lighting integrated above the roof cabinets
- High-performance, maintenance-free Gas heating Combi 6 leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- · Mirror and coat hooks
- USB Socket 3x A / 1x C (layout
- depending)
- Fresh water tank capacity total 122 | waste water tank 92 l
- EQUIPMENT



- Spacious bathroom with separate shower on the opposite side ¹⁷⁾
- Vario-bathroom 16)
- Swivel cassette toilet with electric flush ¹⁹⁾
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- · Clothes rail in bathroom
- · Flexible railing system with two hooks ²⁰⁾

76

BATHROOM



- - Soft furnishing in white



- Gas bottle locker for 2 x 11 kg gas
- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- LED light band
- Waste bin
- · Flexible railing system with 2 hooks
- Fridge 78 | with 11 | freezer compartment

MOTORHOME PACKS

PRO+ PACKAGE 1338 + 106.3 kg*

Basic Pack	
Optic Pack 2 Alloy wheels	
TV-Pack (22" Smart TV & holder Teleco Telesat 65)	
Large 156 fridge with separate 29 freezer compartment	
Insulated waste water tank	
Framed windows	
Awning 4.5 m	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
pro+ decals	

PACKAGE PRICE (€)

PRO+ PACKAGE 1447 + 110.3 kg*

Optic Pack 2 Alloy wheels	
Basic Pack	
TV-Pack (22" Smart TV & holder Teleco Telesat 65)	
Large 156 fridge with separate 29 freezer compartment	
Insulated waste water tank	
Framed windows	
Awning 5 m	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
pro+ decals	

PACKAGE PRICE (€)

PRO+ PACKAGE 1449 + 107.3 kg*

Optic Pack 2 Alloy wheels
Basic Pack
TV-Pack (22" Smart TV & holder Teleco Telesat 65)
Large 156 fridge with separate 29 freezer compartmen
Insulated waste water tank
Framed windows
Awning 5 m
High-level rear light cluster
pro+ decals

PACKAGE PRICE (€)

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm Clear glass roof light 40 x 40 Flyscreen door (one-piece) Comfort entrance door Bridge Light

PACKAGE PRICE (€)

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filt	er
Wireless smartphone charging	
10" radio and navigation system (DAB+)	
7" digital TFT color display	
Rear view camera without grid lines	

PACKAGE PRICE (€)

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

PACKAGE PRICE (€)

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

▲ Not known at the time of publication

MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	1338	1447	1449
PACKS				
pro+ Package I338	106.3 kg	0	-	-
ro+ Package I447	110.3 kg	-	0	-
ro+ Package I449	107.3 kg	-	-	0
asic Pack	14.3 kg	0	0	0
igital Pack	4 kg	0	0	0
ptic Pack 2 Alloy wheels	8 kg	0	0	0
CHASSIS / BASE VEHICLE				
at Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic earbox ¹¹⁾	60 kg	0	0	0
at Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic earbox ¹¹⁾	60 kg	0	0	0
) I fuel tank	23 kg	0	0	0
ectric parking brake	-9.4 kg	0	0	0
yre pressure indicator	0 kg	0	0	0
INCREASE OF LOAD CAPACITY				
Veight increase to 3.650 kg (no chassis modification) *	0 kg	0	0	0
at Ducato Maxi Chassis 4.400 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8- peed automatic gearbox*	60 kg	0	0	0
EXTERIOR SETUP				
ligh-level rear light cluster	4 kg	•	•	•
amed windows	5 kg	•	•	D
sulated waste water tank	8 kg	•	•	
d external storage door (size depends on layout)	3 kg	•	D	•
vo rear corner steadies	6 kg	0	0	0
ke rack for 3 bikes	12.5 kg	0	0	0

High-level rear light cluster	4 kg
Framed windows	5 kg
Insulated waste water tank	8 kg
2nd external storage door (size depends on layout)	3 kg
Two rear corner steadies	6 kg
Bike rack for 3 bikes	12.5 kg

Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

* INFO

Not possible

▲ Not known at the time of publication

Notes from page 92

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Oven in kitchen (only in conjunction with 156 l fridge)	12 kg
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for solar panel	2 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg

D	•	•
0	0	0
0	0	o
0	0	0
0	0	0
0	0	o
0	0	o
0	0	o
0	0	0

COMFORT

INSTALLATIONS

Large 156 | fridge with separate 29 | freezer compartment

[]

-Ò-

Bed conversion single to double bed	
Bed conversion for seating area ²⁴⁾	
5th seat on side bench with seat belt * ²²⁾	
Wooden duckboard for the shower tray	
Carpet	

0	0	-
-	0	0
-	0	0
ο	0	o
ο	0	o

ADDITIONAL WEIGHT*	

5 kg 5 kg 15 kg 2 kg

5 kg

13 kg



Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment



SOFT FURNISHING

Soft furnishing in brown	0 kg

OTHERS	
Registration documents	0 kg



82

● Standard equipment ○ Optional equipment ▲ Mandatory - Not possible ▲ Not known at the standard equipment ▲ Not known at the standard equipment ▲ Not known at the standard equipment ▲ Mandatory → Not possible ▲ Not known at the standard equipment ▲ Mandatory → Not possible ▲ Not known at the standard equipment ▲ Mandatory → Not possible ▲ Not known at the standard equipment ▲ Mandatory → Not possible ▲ Not known at the standard equipment ▲ Mandatory → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible ▲ Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not possible → Not known at the standard equipment → Not known at the standard e

▲ Not known at the time of publication

1449

Notes from page 92

ALCOVES MODEL OVERVIEW

0	1	2	3	4	5	6	7 m

TYPE / MODEL	A132 PRO	A361 PRO	A464 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	000000	66666
BERTHS	0 0 0	00000	0 0 0 0 0 0
Length Width Height (cm)	594 / 232 / 314	659 / 232 / 314	724 / 232 / 314
Headroom in living area (cm)	195	195	195
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2837 (2695 to 2979)*	2937 (2790 to 3084)*	3010 (2860 to 3161)*
Manufacturer-specified mass for optional equipment (kg)*	324	46	47
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C
Wheelbase (cm)	345	380	404
Lying area Alcove / pull-down bed (cm)	210 x 160	210 x 160	210 x 160
Bed dimension middle L x B (cm)		175 x 100	185 x 100
Bed dimension rear L x B (cm)	210 x 140 - 130	210 x 85 205 x 80	210 x 150 - 135
Refrigerator volume incl. freezer (I)	78 (11)	156 (29) 156 (29)	156 (29) 156 (29)
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 ¹⁾	122 / 20 1)	122 / 20 1)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	2	4
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 70	65 x 120 60 x 100	105 x 120 105 x 80
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

OPT Optional



The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the



Configure your dream vehicle

al • Standard equipment

Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**



- pro pack A132
- pro pack A361 & A464
- Basic Pack
- Optic Pack 1 | Painted bumpers
- Optic Pack 2 | Alloy wheels

CHASSIS / **BASE VEHICLE**

- Citroën Jumper 3.500 kg | 2.2 BlueHDi | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- · Front wheel drive
- Wide-track chassis
- Daytime running lights | integrated in headlights
- Headlights with black frame
- Cruise control
- Driver and Passanger airbag • ABS | EBD | ESP incl. ABS and
- Hillholder
- Traction+ incl. Hill Descent Control
- Comfortable driving experience with rear and front axle stabilizers · Start & stop function incl. charge
- booster
- Electric and heated mirrors
- Electric operated cab windows and central locking
- Fix & Go breakdown kit
- Radio aerial integrated in mirror · Central cup holder
- USB charger (A+C)
- Radio pre-wiring including speakers
- Manual cab air conditioning
- Tyres M+S Camping (snowflake)
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- · Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seat with lumbar support
- Height and tilt adjustable driver and front passenger seats
- Multifunction steering wheel
- 60 | fuel tank
- Captain chairs with covers
- Driver and passenger seats swivel on low profile A-Class models and overcab A132

6 G **EXTERIOR SETUP**

- 7-year water ingress warranty ²⁾
- GRP (glass fibre reinforced plastic) roof and rear wall
- · Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- · Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg • High quality entrance door with
- ergonomic handle inside and outside • 2nd external storage door (size
- depends on layout)²⁵⁾

COMFORT

-Ò́· **INSTALLATIONS**

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension ¹⁴⁾
- High-quality mattress in all beds · Removable and washable mattress
- cover • Wooden slatted frame in all fixed-
- beds for better sleeping comfort • Overcab with side window on the
- right | hot air nozzles | 72 cm headroom and 210 x 160 cm bed size
- Sliding overcab bed for an improved access to the cab
- Safety net on overcab beds, bunk beds and on pull-down beds (depending on model)
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) * $^{26)}$
- Furniture in 'Visby Oak' and 'Sand
- Bed conversion for seating area
- · Floor in 'Calais'

roof cabinets High-performance, maintenance-free leisure battery (95 Ah AGM)

- On-board control panel supplies information about filling levels and battery capacity
- · Automatic switching and separating systems for starter and leisure battery as well as for refrigerator · Electric charger for leisure and
- vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light LED Interior light
- USB Socket 3x A / 1x C (layout depending)
- · Mirror and coat hooks
- Fresh water tank capacity total 122 | waste water tank 92 l
- Large 156 | fridge with separate 29 | freezer compartment

- EQUIPEMENT **KITCHEN**
- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid · Large stainless steel circular sink with
- cover
- Fridge 78 | with 11 | freezer
- compartment • LED light band
- Waste bin
- · Flexible railing system with 2 hooks
- Large 156 | fridge with separate 29 |
- freezer compartment 26)

BATHROOM EQUIPMENT • Bathroom with separate shower ²⁶⁾

- Vario-bathroom ¹⁶⁾
- Swivel cassette toilet with electric flush
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- · Clothes rail in bathroom

grey'



 LED lighting integrated above the

• Gas bottle locker for 2 x 11 kg gas bottles

- Gas heating Combi 6
- Gas control valves easily accessible and centrally arranged



• Soft furnishing in brown

MOTORHOME PACKS

PRO PACK A132 + 28 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

2nd external storage door (size depends on layout)

pro decals

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

PRO PACK A361 & A464 + 47 kg*

Optic Pack 1 | Painted bumpers Optic Pack 2 | Alloy wheels

Basic Pack

2nd external storage door (size depends on layout)

Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) *

Large 156 | fridge with separate 29 | freezer compartment

pro decals

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40	
Flyscreen door (one-piece)	
Comfort entrance door	
Bridge Light	

INCLUDED AS STANDARD

INCLUDED AS STANDARD

INCLUDED AS STANDARD



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

88



INCLUDED AS STANDARD

 Δ Not known at the time of publication

MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*		A132 F	PRO		A361 PRO		A464 PF	0
CHASSIS / BASE VEHICLE									
Citroën Jumper 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed automatic gearbox	60 kg		0			0		0	
90 l fuel tank	23 kg		0			0		0	
INCREASE OF LOAD CAPACITY									
Weight increase to 3.650 kg (no chassis modification) *	0 kg		0			0		0	
- Not installations									
Pre-cabling for reversing camera	1 kg		0			0		0	
OTHERS									
Registration documents	0 kg		•			•		*	
		ſ	⊐Available in package	 Standard equipment 	○ Optional equipment	▲ Mandatory	-Not possible	▲ Not known at the time of publica	ion Notes from page 92



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

NOTES

Technical data as of August 2024. validity from August 1, 2024

This brochure contains the series status at the time of printing. Despite checking the content, misprints cannot be ruled out. We reserve the right to make equipment changes or product improvements during the course of the model year. Before concluding the contract, please obtain information about the current product and series status from one of our authorized CARADO trading partners.

Some of the vehicles are shown with special equipment.

The information corresponds to the European homologation regulations; These can change up until the vehicle is purchased or delivered. Your CARADO trading partner will be happy to inform you about any changes and the standard scope of delivery.

The tightness guarantee conditions of Carado GmbH apply.

With the publication of this technical

data, all previous price lists and brochures lose their validity.

The copyright lies with Carado GmbH.

When specifying technical data, possible printing errors and mistakes remain reserved.

FOOTNOTES

1 Before driving, please ensure that the fresh water tank does not contain more than 201

2 The water ingress warranty conditions of Carado GmbH apply.

- **3** Shower equipment includes: extendable shower head. shower holder, shower curtain, guide rail. Swivel bath without shower curtain and guide rail.
- 4 Only available in conjunction with automatic transmission, chassis package and digital package. Safety package already included.
- 5 In combination with Maxi Chassis the painted bumper and black skidplate are not available.
- 6 Not possible in conjunction with pre-cabling for solar system.
- 7 Combi 4 Diesel heating for CV601 without digital control panel.
- 8 Not possible in conjunction with pop-top roof.
- 9 For CV540 not possible in conjunction with pop-top roof.
- 10 When a trailer hitch is fitted, the mass in running order changes, which may also change the maximum permissible number of persons. Towing mass for ascents not over 12% gradient.
- 11 Including 16" steel rims.
- 12 When ordering the option bed conversion of the seating area on the V132, please note that the wardrobe in living 26 A361, A464. room is replaced with a side seat incl. overhead locker.

13 For T447, I447, I449.

- 14 Except T447, T457, T459, 1447, 1449, A361, A464.
- 15 Except T338, T338ED25, 1338. 16 In A132, T448, T338, T338
- ED25 and I338.
- 17 For T447 ED25, T449 ED25, T447, T457, T459, I447, I449.

18 In T135.

19 Except T135.

- 20 Except T338, T338ED25, T448, I338, A132, A361, A464.
- **21** Only in conjunction with Optic Pack 1| Painted bumpers and Optic Pack 2 Alloy wheels.
- 22 When ordering the option "5th seat on side bench seat with seat belt", the storage compartment flap inside is omitted. An optional 5th seat must be taken into account when calculating the minimum payload and the mass of the passengers as a regular seat. In order for you to receive the 5th seat, it must be ensured that the minimum payload is still maintained and that all other legal mass values are complied with. Please feel free to contact our trade partners for detailed information
- 23 For Maxi Chassis the Assistance Pack is included.
- 24 When ordering the option bed conversion of the seating area in the integrated unit the bed entrance is via the side bench.
- 25 Lower window will be omitted on A361

CONTACT

Carado GmbH Ölmühlestraße 6 88299 Leutkirch im Allgäu

Phone: +49 7561 9097 300 Fac: +49 7561 9097 400

info@carado.com www.carado.com

A company of the Erwin Hymer Group.

CARADO ORIGINAL ACCESSORIES* MORE COMFORT **TO TRAVEL!!**

Our Carado water filter clearliQ travel ensures hygienically pure water on the go reliable, odor and taste neutralizing, and easy to change the filter.

Our outdoor insulating mats offer optimal heat protection in winter and effective sun protection in summer - easy to apply and suitable for any vehicle with a Fiat chassis.

And with our practical cot you can create additional sleeping space in the Fiat vehicle: Easy to assemble, space-saving and with a load capacity of 50 kg ideal for children.

WATER FILTERS CLEARLIQ TRAVEL POWERED BY GRÜNBECK

ARTICLE



Water filter clearliQ travel powered by Grünbeck Replacement cartridge single pack Replacement cartridge

OUTSIDE INSULATION MATS



External insulation

COT



ARTICLE Cot Fiat variant

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website

ARTICLE

double pack

External insulation



SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Low Profile Fiat Coachbuilt	8502066	1,34 kg
Campervan Fiat Integrated Van	8502169	1 kg
Camper Van Ford Low Profile Ford	8502170	1kg (pro Cartridge)

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Integrated	8502181	4,1 kg
Semi-integrated Camper vans Vans	3333946	3,1 kg

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Vehicles with original Fiat cab	3542687	10,5 kg



LEGAL INFORMATION ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Carado configurator on our website offer you additional assistance in configuring your vehicle.

1. TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. MASS IN RUNNING ORDER

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100% in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100% with a weight of 16 kg;
- the fuel tank, which is 90% full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is ± 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions. These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Carado makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Carado by weighing each vehicle at the end of the line.

3. MASS OF THE PASSENGERS

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 \cdot 75$ kg = 225 kg.

4. OPTIONAL EQUIPMENT AND ACTUAL MASS OF THE VEHICLE

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer - i.e. ex works - and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works. The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order - as an element of the actual mass - is subject to a legally permissible tolerance of $\pm 5\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. PAY-MASS AND MINIMUM PAY-MASS

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg \geq 10 \cdot (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres. For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \cdot (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

- 3.500 kg technically permissible maximum laden mass
- 2.850 kg mass in running order
- $3 \cdot 75$ kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2% above the nominal value:

3.500 kg	technically permissible maximum laden mass
– 2.907 kg	real weighed mass in running order
	(+ 2 % compared to the stated value of 2,850 kg)
– 3 · 75 kg	mass of the passengers
– 325 kg	optional equipment (maximum permissible value)
= 43 kg	actual load capacity
	(< minimum pay-mass of 100 kg)

In order to avoid such a situation, Carado further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Carado will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. EFFECTS OF TOLERANCES OF THE MASS IN RUNNING ORDER ON THE PAY-MASS

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2% higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3.500 kg	technically permissible maximum laden mass
– 2.907 kg	real weighed mass in running order
	(+ 2 % compared to the stated value of 2,850 kg)
– 3 · 75 kg	mass of the passengers
– 150 kg	optional equipment ordered for the specific vehicle
= 218 kg	Tactual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

95





Don't miss any news.



Sign up for the newsletter now!